

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	947	((control\$4 remov\$4 appl\$5) near3 (power voltage)) with (((phantom inline) near2 power) PoE (power adj1 over adj1 ethernet))	US-PGPUB; USPAT	OR	ON	2009/06/19 16:39
L2	266	L1 with signal	US-PGPUB; USPAT	OR	ON	2009/06/19 16:39
L3	28	L2.clm.	US-PGPUB; USPAT	OR	ON	2009/06/19 16:39
L4	129	((control\$4 remov\$4 appl\$5) near3 (power voltage) near3 (port\$1 interface\$1 connect\$4)) with (((phantom inline) near2 power) PoE (power adj1 over adj1 ethernet))	US-PGPUB; USPAT	OR	ON	2009/06/19 16:39
L5	26	L4.clm.	US-PGPUB; USPAT	OR	ON	2009/06/19 16:39
L6	177021	PoE (power adj1 over adj1 ethernet)	US-PGPUB; USPAT	OR	ON	2009/06/19 16:40
L7	613297	(power\$4 voltage) near3 (port\$1 socket\$1 interface\$1 jack\$1 connect \$6)	US-PGPUB; USPAT	OR	ON	2009/06/19 16:40
L8	750	L6 with L7	US-PGPUB; USPAT	OR	ON	2009/06/19 16:40
L9	135	L8.clm.	US-PGPUB; USPAT	OR	ON	2009/06/19 16:40
L10	5040	((indicat\$4) near3 (power\$4) near3 (port\$1 interface\$1 connect\$4 jack\$1 socket\$1)	US-PGPUB; USPAT	OR	ON	2009/06/19 16:40
L11	49	((power adj1 source adj1 equipment) PSE hub) with L10	US-PGPUB; USPAT	OR	ON	2009/06/19 16:40
L12	8	L11.clm.	US-PGPUB; USPAT	OR	ON	2009/06/19 16:40
L13	9085	713/300,320,321,340.ccls. 455/423,424.ccls.	US-PGPUB; USPAT	OR	ON	2009/06/19 16:45
L14	7	L3 and L13	US-PGPUB; USPAT	OR	ON	2009/06/19 16:45
L15	8	L5 and L13	US-PGPUB; USPAT	OR	ON	2009/06/19 16:45
L16	33	L9 and L13	US-PGPUB; USPAT	OR	ON	2009/06/19 16:45
L17	2	L12 and L13	US-PGPUB; USPAT	OR	ON	2009/06/19 16:45
S1	2	"5406260".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:50

S2	2	"6216930".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 19:39
S3	2	"5923663".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 08:48
S4	2	"6701443".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:20
S5	329	(inline phantom) adj power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:21
S6	5	S5 with (control adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:25
S7	65188	apply\$4 near3 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:22
S8	51805	remov\$4 near3 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:22
S9	1785	S7 same S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:22
S10	189890	S9 abd "L1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:23
S11	54	S9 and "L1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:23
S12	789	(indicat\$4 signal\$4) same S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:24

S13	0	S5 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:24
S14	72	S9 same (control adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:25
S15	0	S14 same "L1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:26
S16	0	S14 same S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:26
S17	9553	S7 with (port device medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:26
S18	5947	S8 with (port device medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:27
S19	186	S17 with S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:27
S20	84	S19 with (indicat\$4 signal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:27
S21	0	S20 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:28
S22	0	S20 with S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/21 17:28
S23	352	(inline phantom) adj power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 14:59

S24	6	S23 with (control adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 14:59
S25	67123	apply\$4 near3 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 14:59
S26	53643	remov\$4 near3 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 14:59
S27	1825	S25 same S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 14:59
S28	57	S27 and "L1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 14:59
S29	800	(indicat\$4 signal\$4) same S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 14:59
S30	0	S23 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 14:59
S31	72	S27 same (control adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 14:59
S32	0	S31 same "L1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 14:59
S33	0	S31 same S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 14:59
S34	9877	S25 with (port device medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 15:00

S35	6285	S26 with (port device medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 15:00
S36	188	S34 with S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 15:00
S37	85	S36 with (indicat\$4 signal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 15:00
S38	0	S37 with S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 15:00
S39	93	(power adj control) near3 ((physical adj layer) PHY)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 15:23
S40	73561	apply\$4 near3 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:07
S41	58961	remov\$4 near3 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:07
S42	1958	S40 same S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:07
S43	73561	apply\$4 near3 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:08
S44	58961	remov\$4 near3 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:08
S45	1958	S43 same S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:08

S46	480	(inline phantom) adj power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:08
S47	846	(indicat\$4 signal\$4) same S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:08
S48	0	S46 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:08
S49	480	(inline phantom) adj power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:08
S50	80	S45 same (control adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:08
S51	0	S50 same S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:08
S52	7	S46 with (control adj signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:08
S53	10936	S40 with (port device medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:08
S54	7226	S41 with (port device medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:08
S55	203	S53 with S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:08
S56	87	S55 with (indicat\$4 signal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:08

S57	0	S56 with S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:25
S58	4822	713/300,320,321,310,340.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:27
S59	13	S46 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:27
S60	3	(remov\$4 near2 power) with (power near2 on)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53
S61	47794	(remov\$4 near2 power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53
S62	18449	(remov\$4 adj power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53
S63	268293	(power near2 (on active supplied))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/17 12:53
S64	2	"7155622".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 09:03
S65	3106	remov\$4 near3 power near3 (port line wire bus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 09:04
S66	41	S65 same ((inline adj power) (power adj over adj ethernet) POE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 09:06
S67	5473	713/300,320,321,310,340.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 09:05

S68	2	S66 and S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 09:10
S69	67	S65 and S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 09:29
S70	282	signal near5 S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 09:29
S71	9	S70 and S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 10:13
S72	540	(inline phantom) adj power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 10:13
S73	2	S65 same S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/19 10:14
S74	3242	remov\$4 near3 power near3 (port line wire bus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 12:37
S75	581	(inline phantom) adj power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/06 12:37
S76	2	S74 same S75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/06 12:37
S77	80798	apply\$4 near3 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/06 12:37

S78	65868	remov\$4 near3 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/06 12:37
S79	2122	S77 same S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/06 12:37
S80	581	(inline phantom) adj power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/06 12:37
S81	897	((indicat\$4 signal\$4) same S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/06 12:37
S82	0	S80 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/06 12:37
S83	6047	713/300,320,321,310,340.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/06 12:37
S84	28	S80 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/06 12:37
S85	2	"6701443".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/18 09:59
S86	34	("5148144" "5991885" "5994998" "6016519" "6115468" "6140911" "6175556" "6246748" "6348874" "6366143" "6393050" "6496103" "6535983").PN. OR ("6701443"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/18 09:59
S88	891	((control\$4 remov\$4 appl\$5) near3 (power voltage)) with (((phantom inline) near2 power) PoE (power adj1 over adj1 ethernet))	US-PGPUB; USPAT	OR	ON	2009/02/18 11:46
S89	252	S88 with signal	US-PGPUB; USPAT	OR	ON	2009/02/18 11:46
S90	30	S89.ab. S89.clm.	US-PGPUB; USPAT	OR	ON	2009/02/18 11:47
S91	7	S90 and g06f\$	US-PGPUB; USPAT	OR	ON	2009/02/18 11:47

S92	125	((control\$4 remov\$4 appl\$5) near3 (power voltage) near3 (port\$1 interface\$1 connect\$4)) with (((phantom inline) near2 power) PoE (power adj1 over adj1 ethernet))	US-PGPUB; USPAT	OR	ON	2009/02/18 11:48
S93	28	S92.ab. S92.clm.	US-PGPUB; USPAT	OR	ON	2009/02/18 11:49
S94	11	S93 and g06f\$	US-PGPUB; USPAT	OR	ON	2009/02/18 11:49
S95	276231	((control\$4 remov\$4 appl\$5 supply\$4 turn\$4) near3 (power voltage) near3 (port\$1 interface\$1 connect\$4 jack \$1))	US-PGPUB; USPAT	OR	ON	2009/02/18 12:07
S96	438099	(power\$4) near3 (port\$1 interface\$1 connect\$4 jack\$1)	US-PGPUB; USPAT	OR	ON	2009/02/18 12:08
S97	506920	S95 S96	US-PGPUB; USPAT	OR	ON	2009/02/18 12:08
S98	853	S97 with (((phantom inline) near2 power) PoE (power adj1 over adj1 ethernet))	US-PGPUB; USPAT	OR	ON	2009/02/18 12:09
S99	68	S98.ab.	US-PGPUB; USPAT	OR	ON	2009/02/18 12:09
S100	25	S99 and g06f\$	US-PGPUB; USPAT	OR	ON	2009/02/18 12:09
S101	281	(power near2 (manag\$7 control\$4)) near7 (PoE (power adj1 over adj1 internet) ((phantom inline) near2 power))	US-PGPUB; USPAT	OR	ON	2009/02/18 12:15
S102	98	S101 with (port\$1 interface\$1 jack\$1 connect\$5)	US-PGPUB; USPAT	OR	ON	2009/02/18 12:16
S103	4	S102.ab.	US-PGPUB; USPAT	OR	ON	2009/02/18 12:16
S104	17	S102.clm.	US-PGPUB; USPAT	OR	ON	2009/02/18 12:17
S105	1	"6535983".pn.	US-PGPUB; USPAT	OR	ON	2009/02/18 12:20
S106	66	("5991885" "5994998" "6016519" "6115468" "6366143").PN. OR ("6535983").URFN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/02/18 12:22
S107	168792	PoE (power adj1 over adj1 ethernet)	US-PGPUB; USPAT	OR	ON	2009/02/18 12:44
S108	595181	(power\$4 voltage) near3 (port\$1 socket\$1 interface\$1 jack\$1 connect \$6)	US-PGPUB; USPAT	OR	ON	2009/02/18 12:45
S109	669	S107 with S108	US-PGPUB; USPAT	OR	ON	2009/02/18 12:45
S110	49	S109.ab.	US-PGPUB; USPAT	OR	ON	2009/02/18 12:46
S111	128	S109.ab. S109.clm.	US-PGPUB; USPAT	OR	ON	2009/02/18 12:46
S112	46	S111 and g06f\$	US-PGPUB; USPAT	OR	ON	2009/02/18 12:46
S113	641	(power near3 (manag\$7 control\$4)) near7 ((physical adj1 layer) PHY)	US-PGPUB; USPAT	OR	ON	2009/02/18 12:53

S114	3	S113 with S107	US-PGPUB; USPAT	OR	ON	2009/02/18 12:54
S115	10	S113 same S107	US-PGPUB; USPAT	OR	ON	2009/02/18 12:54
S116	13	S113 same (((phantom inline) near2 power) PoE (power adj1 over adj1 ethernet))	US-PGPUB; USPAT	OR	ON	2009/02/18 12:56
S117	8447	((indicat\$4 signal\$4) near3 (appl\$5 suppl\$5) near3 power near3 (port\$1 socket\$4 connect\$6 jack\$1 interface \$1)	US-PGPUB; USPAT	OR	ON	2009/02/18 13:00
S118	52	S117 with (on-board (on adj1 board) onboard physical PHY)	US-PGPUB; USPAT	OR	ON	2009/02/18 13:01
S119	4	S118.ab.	US-PGPUB; USPAT	OR	ON	2009/02/18 13:01
S120	14	S118 and g06f\$	US-PGPUB; USPAT	OR	ON	2009/02/18 13:02
S121	2051	((power adj1 source adj1 equipment) PSE hub) with S96	US-PGPUB; USPAT	OR	ON	2009/02/18 13:06
S122	4882	((indicat\$4) near3 (power\$4) near3 (port\$1 interface\$1 connect\$4 jack\$1 socket\$1)	US-PGPUB; USPAT	OR	ON	2009/02/18 13:07
S123	39	((power adj1 source adj1 equipment) PSE hub) with S122	US-PGPUB; USPAT	OR	ON	2009/02/18 13:08

6/19/2009 4:46:08 PM

C:\Documents and Settings\mbrown7\My Documents\EAST\Workspaces\10618211(again).wsp